

Hose & Clamps ..... 48 - 52

Packing box hoses ..... 48

    Heavy duty ..... 48

    12" sections ..... 48

Worm gear clamps ..... 49

    Miniature ..... 49

Bolt clamps ..... 50-52

    T-Bolt clamps ..... 50-51

    Single ..... 52

    Double ..... 52



## Heavy Duty

Hose &  
Clamps

Hose ID	Hose OD <sup>1</sup>	Overall Length	Part #
1½"	2¼"	4"	<b>80HO150</b>
1¾"	2⅝"	4½"	<b>80HO175</b>
2"	2¾"	4"	<b>80HO200</b>
2¼"	3"	4½"	<b>80HO225</b>
2⅝"	3¼"	5"	<b>80HO2375</b>
2½"	3¼"	5"	<b>80HO250</b>
2⅝"	3⅝"	4½"	<b>80HO2625</b>
2¾"	3¼"	5½"	<b>80HO275</b>
3"	3¾"	5½"	<b>80HO300</b>
3½"	4¼"	5½"	<b>80HO350</b>
4"	4¾"	8"	<b>80HO400</b>
4½"	5¼"	8"	<b>80HO450</b>

## 12" Sections



Hose ID	Hose OD <sup>1</sup>	Overall Length	Part #
1¼"	2"	12"	<b>80HO12512</b>
1½"	2¼"	12"	<b>80HO15012</b>
1⅝"	2⅝"	12"	<b>80HO162512</b>
1¾"	2⅝"	12"	<b>80HO17512</b>
2"	2¾"	12"	<b>80HO20012</b>
2¼"	3"	12"	<b>80HO22512</b>
2⅝"	3¼"	12"	<b>80HO237512</b>
2½"	3¼"	12"	<b>80HO25012</b>
2⅝"	3⅝"	12"	<b>80HO262512</b>
2¾"	3¼"	12"	<b>80HO272512</b>
3"	3¾"	12"	<b>80HO30012</b>
3½"	4¼"	12"	<b>80HO35012</b>
4"	4¾"	12"	<b>80HO40012</b>
4½"	5¼"	12"	<b>80HO45012</b>

<sup>1</sup> outside diameters are approximate

## Worm Gear Clamps

**Application:**

- recommended for all marine use

**Materials:**

- band and screw housing: SAE-301 series stainless steel
- screw: SAE-305 series stainless steel

**Features:**

- heavy duty
- ¼" screw with a slotted hexagon head
- sold in packs of 10

Minimum Diameter Range	Maximum Diameter Range	Stainless Steel Part #
7/16"	25/32"	70HSS6
1/2"	29/32"	70HSS8
7/16"	1 1/16"	70HSS10
11/16"	1 1/4"	70HSS12
13/16"	1 1/2"	70HSS16
13/16"	1 3/4"	70HSS20
1 1/16"	2"	70HSS24
1 5/16"	2 1/4"	70HSS28
1 9/16"	2 1/2"	70HSS32
1 13/16"	2 3/4"	70HSS36
2 1/16"	3"	70HSS40
2 5/16"	3 1/4"	70HSS44
2 9/16"	3 1/2"	70HSS48
2 13/16"	3 3/4"	70HSS52
3 1/16"	4"	70HSS56
3 5/16"	4 1/4"	70HSS60
3 9/16"	4 1/2"	70HSS64
4 1/8"	5"	70HSS72
4 5/8"	5 1/2"	70HSS80
5 1/8"	6"	70HSS88
5 5/8"	6 1/2"	70HSS96
6 1/8"	7"	70HSS104
5 5/8"	8 1/2"	70HSS428
7 1/8"	10"	70HSS152
10 1/4"	12 3/4"	70HSS188

**Miniature****Application:**

- recommended for limited marine use

**Materials:**

- band and screw housing: SAE-300 series stainless steel
- screw: SAE-410 series stainless steel

**Features:**

- heavy duty
- ¼" screw with a slotted hexagon head
- sold in packs of 10

Minimum Diameter Range	Maximum Diameter Range	Stainless Steel Part #
7/32"	5/8"	70MAH4
7/16"	25/32"	70MAH6
1/2"	29/32"	70MAH8
9/16"	1 1/16"	70MAH10
11/16"	1 1/4"	70MAH12
13/16"	1 1/2"	70MAH16
13/16"	1 3/4"	70MAH20



## T-Bolt Clamps

**Materials:**

- band: #301 stainless steel
- T-bolt: #305 stainless steel
- nut: 18-8 stainless steel with nylon insert

**Feature:**

- ¾" wide band
- .025" band thickness

**2½" Bolt**

Diameter Range		Stainless Steel Part #
Min	Max	
1.260"	1.440"	<b>70STBC138</b>
1.344"	1.562"	<b>70STBC150</b>
1.594"	1.812"	<b>70STBC175</b>
1.724"	1.942"	<b>70STBC188</b>
1.844"	2.062"	<b>70STBC200</b>
2.094"	2.312"	<b>70STBC225</b>
2.224"	2.442"	<b>70STBC238</b>
2.344"	2.562"	<b>70STBC250</b>
2.326"	2.622"	<b>70STBC256</b>
2.396"	2.692"	<b>70STBC263</b>
2.516"	2.812"	<b>70STBC275</b>
2.646"	2.942"	<b>70STBC288</b>
2.766"	3.062"	<b>70STBC300</b>
2.886"	3.182"	<b>70STBC312</b>
3.016"	3.312"	<b>70STBC325</b>
3.266"	3.562"	<b>70STBC350</b>
3.516"	3.812"	<b>70STBC375</b>
3.766"	4.062"	<b>70STBC400</b>
4.016"	4.312"	<b>70STBC425</b>
4.266"	4.562"	<b>70STBC450</b>
4.516"	4.812"	<b>70STBC475</b>
4.766"	5.062"	<b>70STBC500</b>
5.016"	5.312"	<b>70STBC525</b>
5.266"	5.562"	<b>70STBC550</b>
5.516"	5.812"	<b>70STBC575</b>
5.646"	5.942"	<b>70STBC588</b>
5.766"	6.062"	<b>70STBC600</b>
6.016"	6.312"	<b>70STBC625</b>
6.266"	6.562"	<b>70STBC650</b>
6.516"	6.812"	<b>70STBC675</b>
6.766"	7.062"	<b>70STBC700</b>
7.266"	7.562"	<b>70STBC750</b>
7.766"	8.062"	<b>70STBC800</b>
8.266"	8.562"	<b>70STBC850</b>
8.766"	9.062"	<b>70STBC900</b>
9.166"	9.562"	<b>70STBC950</b>
9.766"	10.062"	<b>70STBC1000</b>
10.646"	10.942"	<b>70STBC1200</b>



2½" Bolt

## T-Bolt Clamps

**Materials:**

- band: #301 stainless steel
- T-bolt: #305 stainless steel
- nut: 18-8 stainless steel with nylon insert

**Feature:**

- $\frac{3}{4}$ " wide band
- .025" band thickness

 **$3\frac{1}{2}$ " Bolt**

Diameter Range		Stainless Steel Part #
Min	Max	
3.37"	3.94"	<b>70STBC382L</b>
3.75"	4.32"	<b>70STBC420L</b>
3.87"	4.44"	<b>70STBC432L</b>
4.05"	4.62"	<b>70STBC450L</b>
4.37"	4.94"	<b>70STBC482L</b>
4.87"	5.44"	<b>70STBC532L</b>
5.05"	5.62"	<b>70STBC550L</b>
5.37"	5.94"	<b>70STBC582L</b>
5.87"	6.44"	<b>70STBC632L</b>
6.62"	7.19"	<b>70STBC675L</b>
6.53"	7.10"	<b>70STBC707L</b>
8.30"	8.87"	<b>70STBC875L</b>
8.43"	9.00"	<b>70STBC888L</b>
8.62"	9.19"	<b>70STBC907L</b>
10.25"	10.82"	<b>70STBC107L</b>
10.43"	11.00"	<b>70STBC1088</b>
10.72"	11.29"	<b>70STBC117L</b>
12.20"	12.77"	<b>70STBC126L</b>
12.43"	13.00"	<b>70STBC1288</b>
12.75"	13.32"	<b>70STBC132L</b>
14.32"	14.95"	<b>70STBC1475</b>
14.43"	15.00"	<b>70STBC1488</b>
14.75"	15.32"	<b>70STBC152L</b>
16.32"	16.96"	<b>70STBC1675</b>
16.43"	17.00"	<b>70STBC168L</b>

 $3\frac{1}{2}$ " Bolt

## Bolt Clamps

## Feature:

- machine bolt and hex nut included

## Single

Minimum Diameter Range	Maximum Diameter Range	Zinc-Plated Malleable Iron Part #
$\frac{7}{8}$ "	1"	<b>30N02</b>
$\frac{31}{32}$ "	$1\frac{1}{8}$ "	<b>30N03</b>
$1\frac{1}{16}$ "	$1\frac{3}{16}$ "	<b>30N04</b>
$1\frac{5}{32}$ "	$1\frac{1}{4}$ "	<b>30N05</b>
$1\frac{1}{4}$ "	$1\frac{3}{8}$ "	<b>30N06</b>
$1\frac{11}{32}$ "	$1\frac{7}{16}$ "	<b>30N07</b>
$1\frac{7}{16}$ "	$1\frac{9}{16}$ "	<b>30N08</b>
$1\frac{17}{32}$ "	$1\frac{11}{16}$ "	<b>30N09</b>
$1\frac{21}{32}$ "	$1\frac{3}{4}$ "	<b>30N010</b>
$1\frac{3}{4}$ "	$1\frac{7}{8}$ "	<b>30N011</b>
$1\frac{7}{8}$ "	$2\frac{1}{32}$ "	<b>30N012</b>
2"	$2\frac{1}{8}$ "	<b>30N013</b>
$2\frac{1}{8}$ "	$2\frac{9}{32}$ "	<b>30N014</b>
$2\frac{1}{4}$ "	$2\frac{13}{32}$ "	<b>30N015</b>
$2\frac{3}{8}$ "	$2\frac{1}{2}$ "	<b>30N016</b>
$2\frac{1}{2}$ "	$2\frac{5}{8}$ "	<b>30N017</b>
$2\frac{5}{8}$ "	$2\frac{7}{8}$ "	<b>30N018</b>
$2\frac{7}{8}$ "	$3\frac{1}{16}$ "	<b>30N019</b>
$3\frac{1}{16}$ "	$3\frac{1}{4}$ "	<b>30N020</b>
$3\frac{1}{4}$ "	$3\frac{7}{16}$ "	<b>30N021</b>
$3\frac{7}{16}$ "	$3\frac{5}{8}$ "	<b>30N022</b>
$3\frac{5}{8}$ "	$4\frac{13}{16}$ "	<b>30N023</b>
$3\frac{13}{16}$ "	$4\frac{1}{8}$ "	<b>30N024</b>
$4\frac{1}{8}$ "	$4\frac{5}{16}$ "	<b>30N025</b>
$4\frac{1}{4}$ "	$4\frac{1}{2}$ "	<b>30N026</b>
$4\frac{7}{16}$ "	$4\frac{5}{8}$ "	<b>30N027</b>
$4\frac{5}{8}$ "	$4\frac{7}{8}$ "	<b>30N0X27</b>
$4\frac{7}{8}$ "	$5\frac{1}{4}$ "	<b>30N028</b>



Hose &amp; Clamps

## Double

Minimum Diameter Range	Maximum Diameter Range	Zinc-Plated Malleable Iron Part #
$3\frac{1}{2}$ "	$3\frac{13}{16}$ "	<b>30DB400</b>
$4\frac{1}{32}$ "	$4\frac{9}{32}$ "	<b>30DB463</b>
$4\frac{1}{4}$ "	$4\frac{15}{16}$ "	<b>30DB525</b>
$4\frac{1}{2}$ "	$5\frac{1}{32}$ "	<b>30DB550</b>
$5\frac{1}{8}$ "	$5\frac{11}{16}$ "	<b>30DB600</b>
$5\frac{15}{16}$ "	$6\frac{1}{2}$ "	<b>30DB675</b>
$6\frac{1}{2}$ "	$7\frac{9}{16}$ "	<b>30DB769</b>
$7\frac{11}{16}$ "	$8\frac{3}{16}$ "	<b>30DB818</b>
$8\frac{1}{4}$ "	$8\frac{7}{8}$ "	<b>30DB875</b>
$8\frac{15}{16}$ "	$9\frac{7}{8}$ "	<b>30DB988</b>
$9\frac{15}{16}$ "	$11\frac{3}{8}$ "	<b>30DB1125</b>
$11\frac{3}{16}$ "	13"	<b>30DB1275</b>
$13\frac{3}{16}$ "	15"	<b>30DB1450</b>
$15\frac{1}{16}$ "	$17\frac{1}{2}$ "	<b>30DB1700</b>

